

28 February 2006

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

Your ref.: Bjørn M. Hansen

Our ref.: 59123  
Gabrio Spinelli

Att. Bjørn M. Hansen

### COVERING LETTER

Please find enclosed our certificate(s) as a result of the above mentioned order.

We thank you for this assignment, and are looking forward to our continued cooperation.

Yours sincerely


Nemko AS

No. P06205966

Order No. 59123

Applicant	Adax A/S Postboks 38 3061 Svelvik NORWAY
Manufacturer	Adax A/S Postboks 38 3061 Svelvik NORWAY
Factory	Refer page 3.
Group	Convactor heater
Model/type	PM xx KET
Data	500, 750,1000, 1250 and 1500W 230V ~
Other specification	TRADE MARK: NOREL Cl. I, provided with flexible cord with plug The xx in model designation can be 05 for 500W, 07 for 750W, 10 for 1000W, 12 for 1250W or 15 for 1500W.
The above product is certified according to the following standard(s)	Safety std.: EN 60335-2-30:2003; A1 EN 60335-1:2002; A11; A1, including possible listed national conditions/deviations for Norway.  EMC std.: EN 50366:2003  EMC std.: EN 55014-1:2000; A1; A2 EN 61000-3-2:2000 EN 61000-3-3:1995; A1 EN 55014-2:1997; A1
Validity	This certificate documents conformity with the standards shown, and also applies as license for use of Nemko's name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation. New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.
Additional information	Additional information on page 2
Variants	This Certificate also covers variants with Position No. from 001 to 007 See next page(s)

Date of issue 28 February 2006



signature

Terje Ulsrud

Certification Department

No. P06205966

Order No. 59123


## Additional Information:

The above certified equipment complies with current technical statutory requirements in Norway regarding safety and Electromagnetic Compatibility (EMC). It should be noted that by marketing of equipment subject to official registration in Norway, the party responsible for the marketing shall be registered by the Norwegian Directorate for Product- and Electrical Safety.

This certificate replaces previous certificate P01102211, issued 26<sup>th</sup> November 2001 due to new test report issued (upgrade of standard).

Group	Convector heater
Position No	001
Model/type	PM xx ET
Data	500, 750,1000, 1250, and 1500W, 230 or 400V ~
Other specification	TRADE MARK: NOREL Cl. I, for fixed installation The xx in model designation can be 05 for 500W, 07 for 750W, 10 for 1000W, 12 for 1250W or 15 for 1500W.
Group	Convector heater
Position No	002
Model/type	PM xx KT
Data	500, 750,1000, 1250, 1500 and 2000W 230V ~
Other specification	TRADE MARK: NOREL Cl. I, provided with flexible cord with plug The xx in model designation can be 05 for 500W, 07 for 750W, 10 for 1000W, 12 for 1250W, 15 for 1500W or 20 for 2000W.
Group	Convector heater
Position No	003
Model/type	PM xx T
Data	500, 750,1000, 1250, 1500 and 2000W, 230 or 400V ~
Other specification	TRADE MARK: NOREL Cl. I, for fixed installation The xx in model designation can be 05 for 500W, 07 for 750W, 10 for 1000W, 12 for 1250W, 15 for 1500W or 20 for 2000W.
Group	Convector heater
Position No	004
Model/type	LM xx KET
Data	250, 500, 700,1000 and 1400 230V ~
Other specification	TRADE MARK: NOREL Cl. I, provided with flexible cord with plug The xx in model designation can be 02 for 250W, 05 for 500W, 07 for 700W, 10 for 1000W or 14 for 1400W.

Date of issue 28 February 2006



signature

Terje Ulsrud

Certification Department

No. P06205966

Order No. 59123

Group Convector heater  
Position No 005  
Model/type LM xx ET  
Data 250, 500, 700,1000 and 1400 230 or 400V ~  
Other specification TRADE MARK: NOREL  
Cl. I, for fixed installation  
The xx in model designation can be 02 for 250W, 05 for 500W, 07 for 700W, 10 for 1000W or 14 for 1400W.

Group Convector heater  
Position No 006  
Model/type LM xx KT  
Data 250, 500, 700,1000 and 1400 230V ~  
Other specification TRADE MARK: NOREL  
Cl. I, provided with flexible cord with plug  
The xx in model designation can be 02 for 250W, 05 for 500W, 07 for 700W, 10 for 1000W or 14 for 1400W.


Group Convector heater  
Position No 007  
Model/type LM xx T  
Data 250, 500, 700,1000 and 1400 230 or 400V ~  
Other specification TRADE MARK: NOREL  
Cl. I, for fixed installation  
The xx in model designation can be 02 for 250W, 05 for 500W, 07 for 700W, 10 for 1000W or 14 for 1400W.

## Factories:

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

UAB ADAX  
Paparciu 19  
LT5306 Panėvezus  
LITHUANIA

Date of issue 28 February 2006



signature

Terje Ulsrud  
Certification Department

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC

## CB TEST CERTIFICATE

Product  
Produit

Convector Heater

Name and address of the applicant  
Nom et adresse du demandeur

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

Name and address of the manufacturer  
Nom et adresse du fabricant

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

Name and address of the factory  
Nom et adresse de l'usine

Additional Information on page 2

Note: When more than one factory, please report on page 2  
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2<sup>me</sup> page

Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

250, 500, 700, 1000 and 1400W 230V ~  
Cl. I, provided with flexible cord with plug

Trademark (if any)  
Marque de fabrique (si elle existe)

NOREL

Model / Type Ref.  
Ref. De type

LM xx KET

Additional information (if necessary may also be reported  
on page 2)  
Les informations complémentaires (si nécessaire,, peuvent  
être indiqués sur la 2<sup>me</sup> page

The xx in model designation can be 02 for 250W, 05 for 500W,  
07 for 700W, 10 for 1000W or 14 for 1400W.

Additional Information on page 2

### PUBLICATION

A sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à la

IEC 60335-2-30(ed.4); am1  
IEC 60335-1(ed.4); am1


As shown in the Test Report Ref. No. which forms part of  
this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

59123

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**



P.O. BOX 73, BLINDERN  
N-0314 OSLO, NORWAY



Date: 2006-02-28

Signature: Terje Ulrud  
Certification Department

IEC

IECEE  
CB  
SCHEME

Ref. Certif. No.

NO37438

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

UAB ADAX  
Paparciu 19  
LT5306 Panėvezus  
LITHUANIA

**Additional information (if necessary)**  
**Information complémentaire (si nécessaire)**



P.O. BOX 73, BLINDERN  
N-0314 OSLO, NORWAY

Date: 2006-02-28

Signature: Terje Ulsrud



Ref. Certif. No.

**NO37439**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEMESYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC**CB TEST CERTIFICATE**Product  
Produit

Convector Heater

Name and address of the applicant  
Nom et adresse du demandeurAdax A/S  
Postboks 38  
3061 Svelvik  
NORWAYName and address of the manufacturer  
Nom et adresse du fabricantAdax A/S  
Postboks 38  
3061 Svelvik  
NORWAYName and address of the factory  
Nom et adresse de l'usine Additional Information on page 2Note: When more than one factory, please report on page 2  
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2<sup>me</sup> pageRatings and principal characteristics  
Valeurs nominales et caractéristiques principales500, 750, 1000, 1250, and 1500W, 230 or 400V ~  
Cl. I, for fixed installationTrademark (if any)  
Marque de fabrique (si elle existe)

NOREL

Model / Type Ref.  
Ref. De type

PM xx ET

Additional information (if necessary may also be reported  
on page 2)  
Les informations complémentaires (si nécessaire,, peuvent  
être indiqués sur la 2<sup>me</sup> pageThe xx in model designation can be 05 for 500W, 07 for 750W,  
10 for 1000W, 12 for 1250W or 15 for 1500W. Additional Information on page 2**PUBLICATION**A sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à laIEC 60335-2-30(ed.4); am1  
IEC 60335-1(ed.4); am1As shown in the Test Report Ref. No. which forms part of  
this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

59123

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**P.O. BOX 73, BLINDERN  
N-0314 OSLO, NORWAY

Date: 2006-02-28

Signature: Terje Ulrud  
Certification Department



Ref. Certif. No.

**NO37439**

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

UAB ADAX  
Paparciu 19  
LT5306 Panêvezus  
LITHUANIA

**Additional information (if necessary)**  
**Information complémentaire (si nécessaire)**



P.O. BOX 73, BLINDERN  
N-0314 OSLO, NORWAY

Date: 2006-02-28

Signature: Terje Ulsrud



IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
 CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
 CB SCHEME

 SYSTEME CEI D'ACCEPTATION MUTUELLE DE  
 CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
 ELECTRIQUES (IECEE) METHODE OC

### CB TEST CERTIFICATE

 Product  
 Produit

Convector Heater

 Name and address of the applicant  
 Nom et adresse du demandeur

 Adax A/S  
 Postboks 38  
 3061 Svelvik  
 NORWAY

 Name and address of the manufacturer  
 Nom et adresse du fabricant

 Adax A/S  
 Postboks 38  
 3061 Svelvik  
 NORWAY

 Name and address of the factory  
 Nom et adresse de l'usine

 Additional Information on page 2

 Note: When more than one factory, please report on page 2  
 Note: Lorsque il y plus d'une usine, veuillez utiliser la 2<sup>me</sup> page

 Ratings and principal characteristics  
 Valeurs nominales et caractéristiques principales

 250, 500, 700, 1000 and 1400W 230 or 400V ~  
 Cl. I, for fixed installation

 Trademark (if any)  
 Marque de fabrique (si elle existe)

NOREL

 Model / Type Ref.  
 Ref. De type

LM xx T

 Additional information (if necessary may also be reported  
 on page 2)  
 Les informations complémentaires (si nécessaire,, peuvent  
 être indiqués sur la 2<sup>me</sup> page

 The xx in model designation can be 02 for 250W, 05 for 500W,  
 07 for 700W, 10 for 1000W or 14 for 1400W.

 Additional Information on page 2

#### PUBLICATION

 A sample of the product was tested and found  
 to be in conformity with  
 Un échantillon de ce produit a été essayé et a été  
 considéré conforme à la


 IEC 60335-2-30(ed.4); am1  
 IEC 60335-1(ed.4); am1

 As shown in the Test Report Ref. No. which forms part of  
 this Certificate  
 Comme indiqué dans le Rapport d'essais numéro de  
 référence qui constitue partie de ce Certificat

59123

 This CB Test Certificate is issued by the National Certification Body  
 Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**

 P.O. BOX 73, BLINDERN  
 N-0314 OSLO, NORWAY



Date: 2006-02-28

 Signature: **Terje Ulsrud**  
**Certification Department**



Ref. Certif. No.

**NO37440**

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

UAB ADAX  
Paparciu 19  
LT5306 Panėvezus  
LITHUANIA

**Additional information (if necessary)**  
**Information complémentaire (si nécessaire)**



P.O. BOX 73, BLINDERN  
N-0314 OSLO, NORWAY

Date: 2006-02-28

Signature: Terje Ulsrud

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC

## CB TEST CERTIFICATE

Product  
Produit

Convector Heater

Name and address of the applicant  
Nom et adresse du demandeur

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

Name and address of the manufacturer  
Nom et adresse du fabricant

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

Name and address of the factory  
Nom et adresse de l'usine

Additional Information on page 2

Note: When more than one factory, please report on page 2  
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2<sup>me</sup> page

Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

250, 500, 700, 1000 and 1400W 230 or 400V ~  
Cl. I, for fixed installation

Trademark (if any)  
Marque de fabrique (si elle existe)

NOREL

Model / Type Ref.  
Ref. De type

LM xx ET

Additional information (if necessary may also be reported  
on page 2)  
Les informations complémentaires (si nécessaire,, peuvent  
être indiqués sur la 2<sup>me</sup> page

The xx in model designation can be 02 for 250W, 05 for 500W,  
07 for 700W, 10 for 1000W or 14 for 1400W.

Additional Information on page 2

### PUBLICATION

A sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à la

IEC 60335-2-30(ed.4); am1  
IEC 60335-1(ed.4); am1


As shown in the Test Report Ref. No. which forms part of  
this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

59123

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**



P.O. BOX 73, BLINDERN  
N-0314 OSLO, NORWAY



Date: 2006-02-28

Signature: Terje Ulrud  
Certification Department



Ref. Certif. No.

**NO37441**

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

UAB ADAX  
Paparciu 19  
LT5306 Panėvezus  
LITHUANIA

**Additional information (if necessary)**  
**Information complémentaire (si nécessaire)**



P.O. BOX 73, BLINDERN  
N-0314 OSLO, NORWAY

Date: 2006-02-28

Signature: Terje Ulsrud

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC

## CB TEST CERTIFICATE

Product  
Produit

Convector Heater

Name and address of the applicant  
Nom et adresse du demandeur

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

Name and address of the manufacturer  
Nom et adresse du fabricant

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

Name and address of the factory  
Nom et adresse de l'usine

Additional Information on page 2

Note: When more than one factory, please report on page 2  
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2<sup>me</sup> page

Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

500, 750, 1000, 1250, 1500 and 2000W, 230 or 400V ~  
Cl. I, for fixed installation

Trademark (if any)  
Marque de fabrique (si elle existe)

NOREL

Model / Type Ref.  
Ref. De type

PM xx T

Additional information (if necessary may also be reported  
on page 2)  
Les informations complémentaires (si nécessaire, peuvent  
être indiqués sur la 2<sup>me</sup> page

The xx in model designation can be 05 for 500W, 07 for 750W,  
10 for 1000W, 12 for 1250W, 15 for 1500W or 20 for 2000W.

Additional Information on page 2

### PUBLICATION

A sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à la

IEC 60335-2-30(ed.4); am1  
IEC 60335-1(ed.4); am1


As shown in the Test Report Ref. No. which forms part of  
this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

59123

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**



P.O. BOX 73, BLINDERN  
N-0314 OSLO, NORWAY



Date: 2006-02-28

Signature: Terje Ulrud  
Certification Department



Ref. Certif. No.

**NO37442**

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

UAB ADAX  
Paparciu 19  
LT5306 Panėvezus  
LITHUANIA

**Additional information (if necessary)**  
**Information complémentaire (si nécessaire)**



P.O. BOX 73, BLINDERN  
N-0314 OSLO, NORWAY

Date: 2006-02-28

Signature: Terje Ulsrud

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC

## CB TEST CERTIFICATE

Product  
Produit

Convector Heater

Name and address of the applicant  
Nom et adresse du demandeur

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

Name and address of the manufacturer  
Nom et adresse du fabricant

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

Name and address of the factory  
Nom et adresse de l'usine

Additional Information on page 2

Note: When more than one factory, please report on page 2  
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2<sup>me</sup> page

Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

500, 750, 1000, 1250, 1500 and 2000W 230V ~  
Cl. I, provided with flexible cord with plug

Trademark (if any)  
Marque de fabrique (si elle existe)

NOREL

Model / Type Ref.  
Ref. De type

PM xx KT

Additional information (if necessary may also be reported  
on page 2)  
Les informations complémentaires (si nécessaire,, peuvent  
être indiqués sur la 2<sup>me</sup> page

The xx in model designation can be 05 for 500W, 07 for 750W,  
10 for 1000W, 12 for 1250W, 15 for 1500W or 20 for 2000W.

Additional Information on page 2

### PUBLICATION

A sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à la

IEC 60335-2-30(ed.4); am1  
IEC 60335-1(ed.4); am1


As shown in the Test Report Ref. No. which forms part of  
this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

59123

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**



P.O. BOX 73, BLINDERN  
N-0314 OSLO, NORWAY



Date: 2006-02-28

Signature: Terje Ulrud  
Certification Department



Ref. Certif. No.

**NO37443**

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

UAB ADAX  
Paparciu 19  
LT5306 Panėvezus  
LITHUANIA

**Additional information (if necessary)**  
**Information complémentaire (si nécessaire)**



P.O. BOX 73, BLINDERN  
N-0314 OSLO, NORWAY

Date: 2006-02-28

Signature: Terje Ulsrud



IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC

## CB TEST CERTIFICATE

Product  
Produit

Convector Heater

Name and address of the applicant  
Nom et adresse du demandeur

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

Name and address of the manufacturer  
Nom et adresse du fabricant

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

Name and address of the factory  
Nom et adresse de l'usine

Additional Information on page 2

Note: When more than one factory, please report on page 2  
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2<sup>me</sup> page

Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

250, 500, 700, 1000 and 1400W 230V ~  
Cl. I, provided with flexible cord with plug

Trademark (if any)  
Marque de fabrique (si elle existe)

NOREL

Model / Type Ref.  
Ref. De type

LM xx KT

Additional information (if necessary may also be reported  
on page 2)  
Les informations complémentaires (si nécessaire,, peuvent  
être indiqués sur la 2<sup>me</sup> page

The xx in model designation can be 02 for 250W, 05 for 500W,  
07 for 700W, 10 for 1000W or 14 for 1400W.

Additional Information on page 2

### PUBLICATION

A sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à la

IEC 60335-2-30(ed.4); am1  
IEC 60335-1(ed.4); am1


As shown in the Test Report Ref. No. which forms part of  
this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

59123

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**



P.O. BOX 73, BLINDERN  
N-0314 OSLO, NORWAY



Date: 2006-02-28

Signature: Terje Ulrud  
Certification Department



Ref. Certif. No.

**NO37444**

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

UAB ADAX  
Paparciu 19  
LT5306 Panėvezus  
LITHUANIA

**Additional information (if necessary)**  
**Information complémentaire (si nécessaire)**



P.O. BOX 73, BLINDERN  
N-0314 OSLO, NORWAY

Date: 2006-02-28

Signature: Terje Ulsrud

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC

## CB TEST CERTIFICATE

Product  
Produit

Convector Heater

Name and address of the applicant  
Nom et adresse du demandeur

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

Name and address of the manufacturer  
Nom et adresse du fabricant

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

Name and address of the factory  
Nom et adresse de l'usine

Additional Information on page 2

Note: When more than one factory, please report on page 2  
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2<sup>me</sup> page

Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

500, 750, 1000, 1250 and 1500W 230V ~  
Cl. I, provided with flexible cord with plug

Trademark (if any)  
Marque de fabrique (si elle existe)

NOREL

Model / Type Ref.  
Ref. De type

PM xx KET

Additional information (if necessary may also be reported  
on page 2)  
Les informations complémentaires (si nécessaire,, peuvent  
être indiqués sur la 2<sup>me</sup> page

The xx in model designation can be 05 for 500W, 07 for 750W,  
10 for 1000W, 12 for 1250W or 15 for 1500W.

Additional Information on page 2

### PUBLICATION

A sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à la

IEC 60335-2-30(ed.4); am1  
IEC 60335-1(ed.4); am1


As shown in the Test Report Ref. No. which forms part of  
this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

59123

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**



P.O. BOX 73, BLINDERN  
N-0314 OSLO, NORWAY



Date: 2006-02-28

Signature: Terje Ulsrud  
Certification Department



Ref. Certif. No.

**NO37437**

Adax A/S  
Postboks 38  
3061 Svelvik  
NORWAY

UAB ADAX  
Paparciu 19  
LT5306 Panėvezus  
LITHUANIA

**Additional information (if necessary)**  
**Information complémentaire (si nécessaire)**



P.O. BOX 73, BLINDERN  
N-0314 OSLO, NORWAY

Date: 2006-02-28

Signature: Terje Ulsrud